


Swing Headboard Supplement

Use these instructions in addition with the [Murphy Bed Installation document](#), Step 3 “Assemble the Bed Cabinet”.m

NOTE: You will be reversing the order that you attach the headboard and the Top Panel to the bed from the normal instructions.

The Cabinet Part 1 video will aid in the attachment of the Top Panel. NOTE: The video is for the standard installation, but the top panel attachment is the same.




Top Panel


S3-1. Connect Top Panel to Vertical

With the Verticals of the bed face down on the floor attach the top panel. Top panel should be flush with the top of the verticals and the front.

Secure each side with five 1-½” screws.



S3-2. Repeat for the other Vertical




S3-3. Add Swing Headboard

NOTE: Two people are needed for this step. The headboard will need to be supported and held in place from both sides.

Place the dowels on the end of the headboard into the Swing Headboard Tack. They will not be attached and will free-float in the tracks.

Make sure the finished edge of the headboard is toward the Top Panel and the good side is down.




S3-4 Add the Headboard Support.

NOTE: Two people are needed for this step. The headboard will need to be supported and held in place from both sides.

This will be the 4" wide board with the dowels on the end. While still supporting the Swing Headboard, place the headboard support into the dowel holes in the vertical. Push together the verticals to close any gaps and secure with 4 - 1 ½" screws.

Stand the cabinet up and move in the against the wall to where it will be mounted in a later step



Continue with Step L-1a if you have lights or Step 3-9 in the Murphy Bed Installation document .

How to use the Swing headboard.

This Swing Headboard is intended to be used for thicker mattresses. The Swing Headboard can be in two positions. The "Back Position" for closing the mattress and cabinet and the "Forward Position" for when the bed is in use.

To transition from Forward Position to Back, simply lift the Swing Headboard straight up (about 1") and push the lower part back toward the wall. Let go and the headboard should drop down into the locked position.

To bring back to the Forward Position, do the same thing in reverse.